



写真で見る 硫化水素自殺


HOW TO HYDROGEN SULFIDE SUICIDE (DETERGENT SUICIDE)



石灰硫黄合剤




混ぜるだけ！



ONLY MIX !!!!

塩酸 9.5 % 含有 家庭用洗剤



Lime sulfur



Muriatic acid (HCl)
Detergent

硫化水素

Hydrogen Sulfide (H₂S)

ムトウハップとサンポールの混合実験

Mixing experiment lime sulfur and 9.5% muriatic acid (HCl).

<http://www.youtube.com/watch?v=1Y1oeJDE4-c>

http://suicidemethods.googlegroups.com/web/mutou_and_sanpo.mpg




0 秒 00
0"00




0 秒 20
0"20




0 秒 40
0"40



0 秒 60
0"60



0 秒 80
0"80



1 秒 00
1"00



1 秒 20
1"20



1 秒 40
1"40



1 秒 60
1"60




1 秒 80
1"80

硫化水素の呼吸毒性実験

Hydrogen Sulfide GAS toxicity test exposure to mice.

<http://www.youtube.com/watch?v=feigi7-sXWA>



フラスコの中には、
100% 硫化水素が
充満しています。

Hydrogen sulfide
100% GAS has
been generated
in this flask.



マウスは元気に
動いています。

Mice are moving
in actively.



硫化水素放出直後
驚いています。

Immediately after
the exposure,
they are very
surprised.




20秒以内に動きと
呼吸が止まります。

Hydrogen sulfide
stops breathing
and movement
within 20 seconds.



2009年 5月14日 アイダホ州 エイダ郡

May 14, 2009 Ada County, Idaho




2009年12月15日 ジョージア州 グウィネット郡

Dec 15, 2009 Gwinnett County, Gorgia





2009年11月2日 ニューヨーク州 イーストブルームフィールド
November 2, 2009 East Bloomfield, New York



2009年10月28日 ニューヨーク州 カユーガ

October 28, 2009 Village of Cayuga, New York



Substitute of BONIDE Lime Sulfur in Amazon.com



Soil Sul Liquid Sulfur – Gallon

<http://www.amazon.com/Soil-Sul-Liquid-Sulfur-Gallon/dp/B000FPX25K/>



Vet Solutions Lime Sulfur Dip, 16 Oz

<http://www.amazon.com/Vet-Solutions-Lime-Sulfur-Dip/dp/B000MD5B4A/>



LimePlus Dip - Sulfurated Lime Sulfur Concentrate ONE GALLON


<http://www.amazon.com/LimePlus-Dip-Sulfurated-Sulfur-Concentrate/dp/B000UZSUKW/>



Bonsai Tree Lime Sulfur

<http://www.amazon.com/No-Bonsai-Tree-Lime-Sulfur/dp/B002XAQIMY/>

Muriatic Acid (conc. HCl) in Amazon.com



31.45% GAL Muriatic Repl Acid

<http://www.amazon.com/CERTOL-INTERNATIONAL-LLC-USA-128-1/dp/B000KKQ8LA/>


<http://www.amazon.com/GAL-Muriatic-Repl-Acid/dp/B003CF1ED2>



Home Care Lab The Works 32-Ounce Toilet Bowl Cleaner

<http://www.amazon.com/Home-Care-32-Ounce-Toilet-Cleaner/dp/B000VM2QBI/>

<http://www.amazon.com/Home-Care-32-Ounce-Toilet-Cleaner/dp/B000VM2QBI/>



28% Sunnyside Corp. 71032 Muriatic Acid (Pack of 12)

<http://www.amazon.com/Sunnyside-Corp-71032-Muriatic-Acid/dp/>

<http://www.amazon.com/Sunnyside-Corp-71032-Muriatic-Acid/dp/>



Lysol Brand Power Toilet Bowl Cleaner 32 Oz, 4Pack

<http://www.amazon.com/Lysol-Brand-Power-Toilet-Cleaner/dp/B0026WLAYK/>

Lysol Toilet Bowl Cleaner, 24 oz

<http://www.amazon.com/Lysol-Toilet-Bowl-Cleaner-24/dp/B000T2HJNU/>



AMREP Misty Bolex 26 Percent Hydrochloric Acid Bowl Cleaner, 32oz Bottle, 12/carton

<http://www.amazon.com/Percent-Hydrochloric-Cleaner-Bottle-carton/dp/B001HA4C42/>

<http://www.amazon.com/Percent-Hydrochloric-Cleaner-Bottle-carton/dp/B001E6D0R4/>



Sno-Bol Toilet Bowl Cleaner - Case of 12

<http://www.amazon.com/Sno-Bol-Toilet-Bowl-Cleaner-Case/dp/B0020MEYOE/>

<http://www.amazon.com/Toilet-Bowl-Cleaner-CDC84130-Category/dp/B0015QDE10/>

<http://www.amazon.com/Cleaner-Toilet-Content-CHU8413000-Cate>

[Suicidal poisoning due to hydrogen sulfide produced by mixing a liquid bath essence containing sulfur and a toilet bowl cleaner containing hydrochloric acid]

<http://www.ncbi.nlm.nih.gov/pubmed/18516944>

To examine the amount of hydrogen sulfide produced, small portions of these liquids were mixed in a 560-mL volume flask. The results showed that 0.1 mL of each liquid produced 4,950 ppm of hydrogen sulfide, and 0.2 mL of each produced 10,800 ppm.

According to these results, if the cabin volume is assumed to be 3,300 L, mixing 120 mL of each liquid produces a lethal level of hydrogen sulfide, i.e., 1,000 ppm.

Toilet bowl cleaner used for suicide in Japan is containing 9.5% HCl. It is equal Lysol(R)
Toilet Bowl Cleaner (9.5 percent HCl)

Liquid bath essence "610HAP" used for suicide in Japan is containing about 20%-25% calcium polysulfides. It is equal Pesticides lime sulfur.

In a car (4 doors sedan:3300Liters), or in a bathroom (about 5000Liters),
if you use 1000ml strong acid (over 10% as HCl) and 1000ml lime sulfur,
or if you use 1000ml strong acid (over 10% as HCl) and 200g Na₂S₉H₂O(sodium sulfide 9hydrate),
you will NEVER fail.

Photographer's Formulary Sodium Sulfide 1 pound

<http://www.amazon.com/Photographers-Formulary-Sodium-Sulfide-pound/dp/B000B75SY0/>

Photographer's Formulary Sodium Sulfide 100 grams

<http://www.amazon.com/Photographers-Formulary-Sodium-Sulfide-grams/dp/B000B75SYK/>

SODIUM SULFIDE REAGENT 100G

Na₂S₉H₂O, CAS#: 1313-84-4, FW: 240.18, Light sensitive. Deliquescent.

<http://www.amazon.com/PAS-SODIUM-SULFIDE-REAGENT-100G/dp/B001DB0QLI/>

Hydrogen sulfide suicide warning posters

Vol.1 : http://suicidemethods.googlegroups.com/web/harigami_multilingual_tate4mai.pdf?gsc=flzDggsAAACVLRNRupibVVCGqEDSESyR

Vol.2 : http://suicidemethods.googlegroups.com/web/harigami_multilingual_yoko2mai.pdf?gsc=flzDggsAAACVLRNRupibVVCGqEDSESyR